


1. MODULE IS DESIGNED TO BE SUFFICIENTLY COOLED BY A PXI<sub>e</sub> CHASSIS THAT MEETS PICMG (COMPACT PCI EXPRESS) STANDARDS. CARE MUST BE TAKEN TO PROVIDE ADEQUATE AIRFLOW AROUND THE CHASSIS AND TO REGULARLY INSPECT AND CLEAN CHASSIS FAN FILTERS TO MAINTAIN OPTIMAL AIRFLOW OVER THE MODULE.

NOTES: (UNLESS OTHERWISE SPECIFIED)



<u>UNLESS OTHERWISE SPECIFIED</u> ALL DIMENSIONS SHOWN IN INCHES [MILLIMETERS]		<u>REVISION NOTES</u>		<u>DATE</u>	
TOLERANCES ARE: .XX [0.X] ±.01 [0.25] .XXX [0.XX] ±.005 [0.13] ANGLES: ±2° MATERIAL		1. INITIAL RELEASE.		SignalCore Inc. AUSTIN, TEXAS	
FINISH				TITLE  SC5307A, 6 GHz DOWNCONVERTER, PXIe CUSTOMER DRAWING	
		SIZE C	CAGE CODE NO. 6CG47	DATE OF DRAWING 04-26-16	REV 1
		SCALE: 1/1		DO NOT SCALE DRAWING	SHEET 1 OF 1